

Debian-Based Server Setup

Debian 12 with Desktop

Run update and upgrade distro first. Install NTP package if there are errors with that. Reboot

Setup powertop and powersaving features

```
sudo apt install powertop
powertop --auto-tune
```

Powersave governor and at reboot. Remember to run the command again

```
@reboot echo "powersave" | tee /sys/devices/system/cpu/cpu*/cpufreq/scaling_governor
>/dev/null 2>&1
```

Ensure these packages are installed

```
powertop htop iotop fio curl gnupg wget ntfs-3g neofetch ca-certificates lsb-release hdparm
hd-idle openssh-server
```

HDD

`lsblk` and `blkid` to get the ntfs hard drive /dev name and the /dev/by-uuid/...

Edit the fstab to mount the drive, same entry for nvme drive

```
UUID=CC34294F34293E38 /mnt/data ntfs-3g 0 0
```

If the mounted device is HDD array, need to spindown disk with hdparm

```
hdparm -B 120 /dev/sdb # set the APM level
hdparm -S 241 /dev/sdb
```

For the -S spindown, 0-240 is multiple of 5s, 241-255 is multiple of 30 min. The above command set spindown every 30min.

If hdparm does not work, hd-idle can be used. Edit the file in `/etc/default/hd-idle`

```
-i 60 -a disk/by-uuid/xxx -l /var/log/hd-idle.log
```

Sudo without password, go to visudo and add the lines to the bottom, replace \$USER with the actual username.

```
$USER ALL=( ALL) NOPASSWD: ALL
```

Edit shortcuts in bashrc

```
source .bashrc
```

OpenSSH with Keys

Generate the key using the terminal

```
ssh-keygen
```

- give a location to put the key pair
- this generate a public (.pub) and private key pair

```
ssh-copy-id -i key.pub username@server
```

- `key.pub` is the public key that was generated

The key is ready to use for authorization.

Generate keys using PuTTY software

Refer to [Samba\(SMB\) Setup](#) to setup SMB server.

Desktop Environment Setup

Firefox

The location of firefox profile is at /home/\$USER/.mozilla/firefox/xxxxxx.default

Make a tarball and copy it and extract it in destination.

In the profile folder, look for compatibility.ini, go to a random profile in the dest machine and copy the compatibility.ini settings to the one that is copied over. This ensure compatibility so that the new profile works without warning.

Check the profile.ini with the name and the location of the new profile folder, firefox should be the same as before.

```
[Profile0]
Name=karis
IsRelative=1
Path=ims58kbd.default-esr-1
```

Themes

To backup/restore settings of cinnamon

Icons

The icons are located at these locations.

```
/usr/share/icons
~/.icons
```

Scripts

Copy the scripts and put it into ~/script for organization and copy the old crontab for executing these scripts.

Revision #14

Created 2 September 2023 12:44:45 by Admin

Updated 18 May 2024 14:47:34 by Admin